



**MT93  
Megattera  
Standard**  
Mobile Computers

## Features

### Powerful Performance

Powered by 2.2GHz octa-core processor and a robust 4GB of RAM, the MT93 Megattera Standard can effortlessly handle multiple tasks. Running on Android 13 and featuring GMS, this device not only strengthens security measures but also guarantees a smoother and more efficient operational experience.

### Intuitive and Comfortable Design

The MT93 Megattera Standard blends advanced functionality with a user-centric design. The MT93 boasts a combination of lightweight design and rugged durability. It comes equipped with a user-friendly 5.5-inch capacitive touchscreen, just like your regular smartphone. Featuring an angled scan engine, the MT93 Megattera Standard adds comfort to your workflow, effectively minimizing fatigue and discomfort associated with pro-longed scanning activities.

### High-Precision Barcode Scanning

Experience unparalleled scanning precision with the high-resolution

megapixel scan engine. Positioned conveniently at the device's top, it facilitates swift and accurate scanning. Activate it through a simple tap on the screen or by pressing a physical side button for effortless point-and-shoot scanning. Make fewer mistakes with the Acuscan feature that makes sure you scan the right barcodes even when they are placed closely together.

### Uninterrupted Productivity

Boasting a robust 5000mAh battery, the MT93 Megattera Standard keeps you going throughout the full shift for up to 10 uninterrupted hours! Need even more power? Simply switch the battery to ensure uninterrupted workflow and reduced downtime.

### Built to Last

The MT93 Megattera Standard is purpose-built to thrive in demanding work environments. Sporting an IP65 rating and successfully passing drop tests from heights of up to 1.5 meters, this device is designed to endure the challenges of your daily operations.



## Suggested industries



Retail



Warehousing



Logistics



Hospitality



Events

# MT93 Megattera Standard Technical specifications

## Data Capture

1D	All major 1D symbologies
2D	All major 2D symbologies
Image Sensor	1280 x 800 CMOS
Aiming	Laser Diode
Illumination	White LED (625±10nm)
Scan Rate	60 frames per second
Depth of Field EAN 13 (13mil)	70mm-610mm
Depth of Field Code 39 (5mil)	110mm-290mm
Depth of Field PDF417 (6.7mil)	110mm-230mm
Depth of Field DataMatrix (10mil)	110mm-260mm
Depth of Field QR (15mil)	55mm-410mm

## Performance

Operating System	Android 13 GMS
Processor	2.2GHz, octa-core 64-bit processor (MT8781), 2*A76@2.2GHz, 6*A55@2GHz
Memory RAM	4GB
Memory Flash	64GB

## Physical

Battery Type	3.85V, 5000mAh
Camera	Front camera: 5 megapixels; Rear camera: 13 megapixels, auto focus, with LED flashlight
Dimensions (mm)	159(L) × 74(W) × 15.9(H) mm
Display	5.5" (720×1440), multi-point capacitive touch screen with hardened glass; Brightness (max.400 Nits)
Expansion Slot	Micro SD Card (max 256GB)
Interfaces	USB Type-C, charging contacts on the bottom, supports headphones
Keypad	Virtual on-screen buttons: Menu, Home, Back; Physical buttons: Left and right Scan keys, Volume +/-, Power
Microphone	Dual microphones, supports noise reduction
Notifications	Vibrator, speaker (8R,1W 10cm, 103dB) and multi-color LEDs
Power Supply Input	AC100~240V, 50~60Hz, 18w fast charge
Power Supply Output	DC5V/7V/9V, 2A
Sensors	Light & Proximity sensor, Gravity sensor, Gyroscope, Electronic compass
SIM/TF	Nano+Nano or Nano+TF
Weight	277g (including battery)

## Wireless

WWAN RADIO	2G: 850/900/1800/1900MHz; 3G: WCDMA (B1, B2, B5, B8), CDMA: 1X EVDO (BC0); 4G: TDD-LTE (B34, B38, B39, B40, B41), FDD-LTE (B1, B2, B3, B5, B7, B8, B20, B28 a&b)
WLAN RADIO	WIFI 5 802.11 a/b/g/n/ac, support 2.4G and 5G dual frequency
WPAN RADIO	Bluetooth 5.2 BLE backward compatibility

## Newland AIDC EMEA

Email address: [info@newland-id.com](mailto:info@newland-id.com)

Feel free to contact us or a partner near you

visit [newland-id.com](http://newland-id.com)

Specifications are subject to change without notice

© Newland AIDC EMEA 2025, all rights reserved

# MT93 Megattera Standard Technical specifications

NFC	13.56MHz RFID: ISO14443A/B, MIFARE, FeliCa, NFCForumTags, ISO15693
-----	--

GPS	GPS (AGPS), GLONASS
-----	---------------------

## Environmental

Operating Temperature	-20°C to 55°C (-4°F to 131°F)
-----------------------	-------------------------------

Storage Temperature	-40°C to 70°C (-40°F to 158°F)
---------------------	--------------------------------

Humidity	5% to 95% (non-condensing)
----------	----------------------------

Electro Static Discharge (ESD)	±15 kV (Air discharge), ±8 kV (Direct discharge)
--------------------------------	--

Drop	1.5m drops to concrete (for six sides, one drop per side)
------	---

IP Rating	IP65
-----------	------

## Accessories

Standard	Protective case, USB-C cable, battery, screen protector, hand strap, and multiplug adapter
----------	--

Optional	Battery, AC adapter, cable, hand strap, protective case, protective film, charging cradle, 4-slot battery charging cradle, Screen protector (SPMT93)
----------	--

## Warranty

Warranty Extension	+1 or 3 Years
--------------------	---------------

Comprehensive Service	3 or 5 Years
-----------------------	--------------